

Publications:

61. Kaupp JA, Tse MY, Pang SC, Kenworthy G, Hetzler M, Waldman SD (2013). The effect of moving point of contact stimulation on gene expression and localization in tissue engineered cartilage constructs. *Annals of Biomedical Engineering* 41(6):1106-1119.
60. Brenner JM, Kunz M, Tse MY, Winterborn A, Bardana DD, Pang SC, Waldman SD (2013). Development of engineering cartilage constructs from a small population of chondrocytes. *Biotechnology Progress* 29(1):213-221.
59. Kunz M, Devlin S, Hurtig MB, Waldman SD, Rudan J, Bardana DD, Stewart AJ (2013). Image-guided techniques improve short-term outcome of autologous osteochondral cartilage repair surgeries: an animal trial. *Cartilage* 4(2):153-164.
58. Zhao Y, Waldman SD, Flynn LE (2013). Multi-lineage co-culture of adipose-derived stem cells for tissue engineering. *Journal of Tissue Engineering and Regenerative Medicine* DOI: 10.1002/term.1643.
57. Surrao DC, Waldman SD, Amsden BG (2012). Biomimetic poly(lactide) based fibrous scaffolds for ligament tissue engineering. *Acta Biomaterialia* 8(11):3997-4006.
56. Surrao DC, Fan JCY, Waldman SD, Amsden BG (2012). A crimp-like microarchitecture improves tissue production in fibrous ligament scaffolds in response to mechanical stimuli. *Acta Biomaterialia* 8(10):3704-3713.
55. Usprech J, Chu G, Giardini-Rosa R, Martin K, Waldman SD (2012). Optimizing the therapeutic potential of ATP for cartilage tissue engineering. *Cartilage* 3(4):364-373.
54. Kaupp JA, Weber JF, Waldman SD (2012). Mechanical stimulation of chondrocyte seeded agarose hydrogels. *Journal of Visualized Experiments* 68:e4229. DOI:10.3791/4229.
53. Zhao Y, Waldman SD, Flynn LE (2012). The effect of serial passaging on the proliferation and differentiation of bovine adipose-derived stem cells. *Cells, Tissues, Organs* 195(5):414-427.
52. Kunz M, Waldman SD, Rudan JF, Bardana D, Stewart AJ (2012). Computer-assisted mosaic arthroplasty using patient-specific instrument guides: A case report. *Knee Surgery, Sports Traumatology, Arthroscopy* 20(5):857-861.
51. Inoue J, Kunz M, Hurtig MB, Waldman SD, Stewart AJ (2011). Automated planning of computer assisted mosaic arthroplasty. *Medical Imaging Computing and Computer Assisted Intervention – MICCAI 2011* 14(Part 1):267-274.
50. Hayami JWS, Waldman SD, Amsden BG (2011). A photocurable hydrogel-elastomer composite scaffold with bi-continuous morphology for cell encapsulation. *Macromolecular Bioscience* 11(12):1672-1683.

49. Surrao DC, Khan AA, McGregor AJ, Amsden BG, Waldman SD (2011). Can microcarrier expanded chondrocytes synthesize functional tissue? *Tissue Engineering, Part A* 17(15/16):1959-1967.
48. McGregor AJ, Amsden BG, Waldman SD (2011) Chondrocyte repopulation of the zone of death induced by osteochondral harvest. *Osteoarthritis and Cartilage* 19(2):242-248.
47. Surrao DC, Hayami JWS, Waldman SD, Amsden BG (2010). Self-crimping, biodegradable, electrospun polymer microfibrils. *Biomacromolecules* 11(12):3624-3629.
46. Lievers WB, Poljsak AS, Waldman SD, Pilkey AK (2010). Effects of dehydration-induced structural and material changes on the apparent modulus of cancellous bone. *Medical Engineering & Physics* 32(8):921-925.
45. Lievers WB, Petryshyn A, Poljsak AS, Waldman SD, Pilkey AK (2010). Specimen diameter and “side artifacts” in cancellous bone evaluated using end-constrained elastic tension. *Bone* 47(2):371-377.
44. Waldman SD, Usprech J, Flynn LE, Khan AA (2010). Harnessing the purinergic receptor pathway to develop functional engineered cartilage constructs. *Osteoarthritis and Cartilage* 18(6):864-872.
43. Fan JCY, Waldman SD (2010). The effect of intermittent static biaxial tensile strains on tissue engineered cartilage. *Annals of Biomedical Engineering* 38(4):1672-1682.
42. Hamilton DJ, Pilliar RM, Waldman SD, Kandel RA (2010). Effect of circumferential constraint on nucleus pulposus tissue in vitro. *The Spine Journal* 10(2):174-183.
41. Stevenson M, Waldman SD, Lai YL (2010). Design and modeling of a multi-axial mechanical cell stimulator. *Journal of Intelligent Material Systems and Structures* 21(2):213-220.
40. Hayami JWS, Surrao DC, Waldman SD, Amsden BG (2010). Design and characterization of a composite scaffold for ligament tissue engineering. *Journal of Biomedical Materials Research A* 92A(4):1407-1420.
39. **Lievers WB**, Waldman SD, Pilkey AK (2010). Minimizing specimen length in elastic testing of end-constrained cortical bone. *Journal of the Mechanical Behavior of Biomedical Materials* 3(1):22-30.
38. Kunz M, Devlin S, Gong RH, Inoue J, Waldman SD, Hurtig M, Abolmaesumi P, Stewart AJ[†] (2009). Prediction of the repair surface over cartilage defects: A comparison of three methods in a sheep model. *Medical Imaging Computing and Computer Assisted Intervention – MICCAI 2009* 12(Part 1):75-82. PMID: 20425973
37. Dare EV, Griffith M, Poitras P, Kaupp JA, Waldman SD, Carlsson DJ, Dervin G, Mayoux C, Hincke MT (2009). Genipin cross-linked fibrin hydrogels for human

- articular cartilage tissue engineered regeneration. *Cells, Tissues, Organs* 190(6):313-325.
36. Gryn timer MD, Waldman SD, Holmyard D, Bushinsky DA (2009). Genetic hypercalciuric stone-forming rats have a primary decrease in bone mineral density and strength. *Journal of Bone and Mineral Research* 24(8):1420-1426.
35. Khan AA, Suits JMT, Kandel RA, Waldman SD (2009). The effect of continuous culture on the growth and structure of tissue engineered cartilage. *Biotechnology Progress* 25(2):508-515.
34. Pietak A, Gauthier S, McGregor A, Olescheck R, Waldman SD (2008). Are micropatterned substrates for directed cell organization an effective method to create ordered 3D tissue constructs? *Journal of Tissue Engineering and Regenerative Medicine* 2(7):450-453.
33. Suits JMT, Khan AA, Waldman SD (2008). Glycogen accumulation in tissue engineered cartilage. *Journal of Tissue Engineering and Regenerative Medicine* 2(6):340-346.
32. Kaupp JA, Waldman SD (2008). The effects of mechanical vibrations on articular chondrocytes in high-density culture. *Proceedings of the Institution of Mechanical Engineers. Part H, Journal of Engineering in Medicine* 222(5):695-703.
31. Pietak A, Waldman SD (2008). Seeing cells as a phase of matter: Exploring statistical mechanics to describe cell patterning. *Physical Biology* 5(1):016007 (10 pages).
30. Yuen FLY, Zak G, Waldman SD, Docoslis A (2008). Morphology of fibroblast cells grown on substrates formed by dielectrophoretically aligned carbon nanotubes. *Cytotechnology* 56(1):9-17.
29. Waldman SD, Usmani Y, Tse MY, Pang SC (2008). Differential effects of natriuretic peptide stimulation on tissue-engineered cartilage. *Tissue Engineering Part A* 14(3):441-448.
28. Lievers WB, Lee V, Arsenault SM, Waldman SD, Pilkey AK (2007). Volumetric shrinkage of cancellous bone measured at two levels of dehydration. *Journal of Biomechanics* 40(9):1903-1909.
27. Waldman SD, Couto DC, Gryn timer MD, Pilliar RM, Kandel RA (2007). Multi-axial mechanical stimulation of tissue engineered cartilage. *European Cells & Materials Journal* 13:66-75.
26. Moreno LD, Waldman SD, Gryn timer MD (2006). Sex differences in long bone fatigue using a rat model. *Journal of Orthopaedic Research* 24(10):1926-1932.
25. Kandel RA, Gryn timer MD, Pilliar RM, Lee J, Waldman SD, Zalzal P, Hurtig MB (2006). Repair of osteochondral defects with biphasic cartilage-calcium polyphosphate constructs in a sheep model. *Biomaterials* 27(22):4120-4131.

24. Waldman SD, Couto DC, Gryn timer MD, Pilliar RM, Kandel RA (2006). A single application of cyclic loading can accelerate matrix deposition and enhance the properties of tissue-engineered cartilage. *Osteoarthritis and Cartilage* 14(4):323-330.
23. Wise LM, Waldman SD, Kasra M, Cheung R, Binnington A, Kandel RA, White LM, Gryn timer MD (2005). The effect of zoledronate on bone quality in the treatment of aseptic loosening of hip arthroplasty in the dog. *Calcified Tissue International* 77(6):367-375.
22. Waldman SD, Lee JM (2005). Effect of sample geometry on the apparent biaxial mechanical behaviour of planar connective tissues. *Biomaterials* 26(35):7504-7513.
21. Djokoto D, Tomlinson G, Waldman SD, Gryn timer MD, Cheung AM (2004). Relationship between MRTA, DEXA and QUS. *Journal of Clinical Densitometry* 7(4):448-456.
20. Waldman SD, Couto DC, Omelon SJ, Kandel RA (2004). The effect of sodium bicarbonate on extracellular pH, matrix accumulation and morphology of cultured articular chondrocytes. *Tissue Engineering* 10(11/12):1633-1640.
19. Waldman SD, Spiteri CG, Gryn timer MD, Pilliar RM, Kandel RA (2004). Long-term intermittent compressive stimulation improves the composition and mechanical properties of tissue-engineered cartilage. *Tissue Engineering* 10(9/10):1323-1331.
18. S éguin CA, Gryn timer MD, Pilliar RM, Waldman SD, Kandel RA (2004). Tissue engineered nucleus pulposus tissue formed on a porous calcium polyphosphate substrate. *Spine* 29(12):1299-1307.
17. Goss PE, Qi S, Josse R, Pritzker KPH, Mendes M, Hu H, Waldman SD, Gryn timer MD (2004). The steroidal aromatase inhibitor exemestane prevents bone loss in ovariectomized rats. *Bone* 34(3):384-392.
16. Waldman SD, Spiteri CG, Gryn timer MD, Pilliar RM, Kandel RA (2003). Long-term intermittent shear deformation improves the quality of cartilaginous tissue formed *in vitro*. *Journal of Orthopaedic Research* 21(4):590-596.
15. Bonyadi M, Waldman SD, Liu D, Aubin JE, Gryn timer MD, Stanford WL (2003). Mesenchymal precursor self-renewal deficiency leads to age-dependent osteoporosis in SCA-1/LY-6A null mice. *Proceedings of the National Academy of Science* 100(10):5840-5845.
14. Waldman SD, Spiteri CG, Gryn timer MD, Pilliar RM, Hong J, Kandel RA (2003). Biomechanical effects on cartilaginous tissue formed *in vitro*. *Journal of Bone and Joint Surgery (American)* 85A(Supplement 2):101-105.
13. Waldman SD, Gryn timer MD, Pilliar RM, Kandel RA (2003). The use of different chondrocyte populations to modulate the properties of tissue-engineered cartilage. *Journal of Orthopaedic Research* 21(1):132-138.
12. Waldman SD, Gryn timer MD, Pilliar RM, Kandel RA (2002). Characterization of tissue-engineered cartilage grown on calcium polyphosphate substrates *in vitro*. *Journal of Biomedical Materials Research* 62(3):323-330.

11. Waldman SD, Lee JM (2002). Boundary conditions during biaxial testing of planar connective tissues. Part I: Dynamic behaviour. *Journal of Material Science – Materials in Medicine* 13(10):933-938.
10. Waldman SD, Sacks MS, Lee JM (2002). Boundary conditions during biaxial testing of planar connective tissues. Part II: Fibre Orientations. *Journal of Materials Science Letters* 21(15):1215-1221.
9. Lee L, Lee JS, Waldman SD, Casper RF, Grynpas MD (2002). Polycyclic aromatic hydrocarbons present in cigarette smoke cause bone loss in an ovariectomized rat model. *Bone* 30(6):917-923.
8. Jahangir AR, Lee JM, Waldman SD, Anderson GI (2002). Mechanical characterization of a novel cell stimulating system (CSS) to apply dynamic, uniform and isotropic biaxial strains to cells *in vitro*. *Biomedical Sciences Instrumentation* 38:215-220.
7. Russell KA, Waldman SD, Thompson B, Lee JM (2001). Nasal morphology and shape parameters as predictors of nasal esthetics in individuals with complete unilateral cleft lip and palate. *Cleft Palate – Craniofacial Journal* 38(5):476-485.
6. Russell KA, Waldman SD, Lee JM (2000). Video-imaging assessment of nasal morphology in individuals with complete unilateral cleft lip and palate. *Cleft Palate – Craniofacial Journal* 37(6):542-550.
5. Waldman SD, Sacks MS, Lee JM (1999). Imposed state of deformation determines local collagen fibre orientation but not apparent mechanical properties. *Biomedical Sciences Instrumentation* 35:51-56.
4. Naimark WA, Waldman SD, Anderson RJ, Suzuki B, Pereira CA, Lee JM (1998). Thermomechanical analysis of collagen crosslinking in the developing lamb pericardium. *Biorheology* 35(1):1-16.
3. Waldman SD, Bryant JT (1997). Dynamic contact stress and rolling resistance model for total knee arthroplasties. *Journal of Biomechanical Engineering* 119(3):254-260.
2. Waldman SD, Cornwall GB, Kiss R, Moore TN, Bowe AJ (1995). Vibration monitoring in wear testing of orthopaedic biomaterials. ASTM STP 1247, p.46-61, *Effects of Mechanical Stiffness and Vibration on Wear*, Raymond G. Bayer, Ed., American Society for Testing and Materials, Philadelphia, PA.
1. Waldman SD, Bryant JT (1994). Compressive stress relaxation behaviour of irradiated ultra high molecular weight polyethylene at 37°C. *Journal of Applied Biomaterials* 5(4):333-338.